Map		Acres	 Percent
symbol			
AbB		280	0.1
AbC2	Albrights silt loam. 8 to 15 percent slopes, moderately eroded	220	*
AgD	Albrights very stony silt loam, 3 to 25 percent slopes	800	0.3
AhA	Allegheny fine sandy loam, 0 to 3 percent slopes	150	*
AhB2	Allegheny fine sandy loam, 3 to 8 percent slopes moderately eroded	220	*
AhC2	Allegheny fine sandy loam, 8 to 15 percent slopes, moderately eroded	110	* *
AlA	Allegheny silt loam, 0 to 3 percent slopes	110	I
AlB2 AlC2	Allegheny silt loam, 3 to 8 percent slopes, moderately eroded Allegheny silt loam, 8 to 15 percent slopes, moderately eroded	1,310 980	0.5
AlD	Allegheny silt loam, 15 to 30 percent slopes, moderately eloded	230	0.4
AnB	Allegheny-urban land complex. 0 to 8 percent slopes	290	0.1
AnC	[Allegheny-urban land complex: 8 to 20 percent slopes	170	*
Au	N	3 760	1.4
Av	Alluvial land-urban land complex Atkins silt loam	640	0.2
Aw	Atkins silt loam	1,630	0.6
BeE	Belmont very stony silty clay loam, 20 to 50 percent slopes	170	*
BkC3	Brooke silty clay loam, 8 to 15 percent slopes severely eroded	60	
BuB2	Buchanan gravelly loam, 0 to 8 percent slopes, moderately eroded	240	I
BuC2 BvC	Buchanan gravelly loam, 8 to 15 percent slopes, moderately eroded Buchanan very stony loam, 0 to 15 percent slopes	240 6,050	1
BvD	Buchanan very stony loam, 15 to 25 percent slopes	2,040	0.8
CaB	Calvin channery silt loam, 0 to 10 percent slopes	980	0.4
CaC	[Calvin channery silt loam, 10 to 20 percent slopes	1.320	0.5
C1B2	Calvin shalv silt loam, 0 to 10 percent slopes,	1,680	0.6
C1C2	[Calvin shalv silt loam, 10 to 20 percent slopes, moderately eroded	2,780	1.0
ClD2	Calvin shalv silt loam, 20 to 30 percent slopes, moderately eroded	4,310	1.6
ClE	Calvin shaly silt loam, 30 to 45 percent slopes	3,460	1.3
CnB2	Calvin-weikert shaly silt loams, 0 to 20 percent slopes, moderately	120	
CnC2	calvin-weikert shaly silt loams, 10 to 20 percent slopes, moderately	430	0.2
Q D-0	eroded	1,500	0.6
CnD2	Calvin-weikert shaly silt loams, 20 to 30 percent slopes, moderately	1,890	0.7
CnE	Calvin-weikert shaly silt loams, 30 to 50 percent slopes	1,660	0.6
CoB2	Cavode silt loam, 0 to 10 percent slopes, moderately eroded	930	0.3
CoC2	[Cayode silt loam, 10 to 20 percent slopes, moderately eroded	860	
CrD	ICarodo vory story silt loam 0 to 30 porsont slopes	1 600	0.6
CsA	Chavies loam, 0 to 3 percent slopes Chavies loam, 3 to 8 percent slopes	100	*
CsB	Chavies loam, 3 to 8 percent slopes	190	*
CtB2	Cookport silt loam, 0 to 10 percent slopes, moderately eroded	1,180	0.4
CtC2 CuB	Cookport silt loam, 10 to 20 percent slopes, moderatley eroded Cookport very stony silt loam, 0 to 10 percent slopes	730 1 , 370	0.3
Cub	Cookport very stony silt loam, 10 to 30 percent slopes	2,630	1.0
Cv	Cut and fill land	790	0.3
DeB2	Dekalb channery sandy loam, 0 to 12 percent slopes, moderately eroded	920	
DeC2	Dekalb channery sandy loam, 12 to 25 percent slopes, moderately eroded	1,320	0.5
DeD	Dekalb channery sandy loam, 25 to 45 percent slopes	940	0.3
DkB	Dekalb very stony sandy loam, 0 to 12 percent slopes	2,670	
DkC	Dekalb very stony sandy loam, 12 to 25 percent slopes	4,410	
DlE	Dekalb and lehew very stony soils, 25 to 45 percent slopes	8,380	
DlF	Dekalb and lehew very stony soils, 45 to 75 percent slopes	9,740	3.6
EdB2 EdC2	Edom silt loam, 3 to 8 percent slopes, moderately eroded Edom silt loam, 8 to 15 percent slopes, moderately eroded	170 640	0.2
EdC2 EdD2	Edom silt loam, 15 to 25 percent slopes, moderately eroded	580	0.2
EdE2	Edom silt loam, 25 to 45 percent slopes, moderately eroded	790	0.3
EeE3	Edom silty clay loam, 27 to 45 percent slopes, severly eroded	350	0.1
ElA	Elliber cherty silt loam, 0 to 5 percent slopes	270	0.1
ElB2	Elliber cherty silt loam, 5 to 12 percent slopes, moderately eroded	2,020	0.7
E1C2	Elliber cherty silt loam, 12 to 25 percent slopes, moderately eroded	3,310	1.2
ElD EmC	Elliber cherty silt loam, 25 to 45 percent slopes	2,960	1.1
EmC EmD	Elliber very stony silt loam, 0 to 25 percent slopes Elliber very stony silt loam, 25 to 45 percent slopes	1,370 2 130	
EmD	letither very scony site roam, 25 to 45 percent stopes	2,130	0.8

Print date: 09/05/2002

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol		Acres	 Percent
EmF		2,760	1.0
ErA	Ernest silt loam, 0 to 3 percent slopes	180	*
ErB2	Ernest silt loam, 3 to 8 percent slopes, moderately eroded	2,280	
ErC2	Ernest silt loam, 8 to 15 percent slopes, moderately eroded	2,020	0.7
ErD2 EuB	Ernest silt loam, 15 to 25 percent slopes, moderately eroded Ernest-landisburg-urban land complex, 0 to 8 percent slopes	150 690	1
EuD	Ernest-landisburg-urban land complex, 8 to 25 percent slopes	390	0.1
G1B2	Gilpin silt loam, 0 to 10 percent slopes, moderately eroded	1,310	0.5
GlC2	Gilpin silt loam, 10 to 20 percent slopes, moderately eroded	1,940	0.7
GlD2	Gilpin silt loam, 20 to 30 percent slopes, moderately eroded	530	0.2
GnB2	Gilpin channery silt loam, 0 to 10 percent slopes, moderately eroded	3,380	1.3
GnC2	Gilpin channery silt loam, 10 to 20 percent slopes, moderately eroded	4,690	
GnD2 GnE	Gilpin channery silt loam, 20 to 30 percent slopes, moderately eroded Gilpin channery silt loam, 30 to 45 percent slopes	3,150 2,490	1.2
GsB	Gilpin very stony silt loam, 0 to 10 percent slopes	1,960	
GsD	IGilpin very stony silt loam, 10 to 30 percent slopes	11,100	4.1
GuB	IGilnin-urhan land complex 0 to 10 percent slopes	190	
GuD	Gilpin-urban land complex, 10 to 30 percent slopes	660	0.2
GwF	IGilpin and weikert very stony silt loams, 30 to 65 percent slopes	7,230	1 2.7
Gx	Gravel pits	30	
HeC2	Hagerstown silt loam, 8 to 20 percent slopes, moderately eroded	120	* *
HeE2	Hagerstown silt loam, 20 to 40 percent slopes, moderately eroded	220 290	0.1
Hn HxA	Huntington silt loam Huntington silt loam, local alluvium, 0 to 3 percent slopes	150	0.1
HxB	Huntington silt loam, local alluvium, 3 to 8 percent slopes	340	0.1
HxC	Huntington silt loam, local alluvium, 8 to 15 percent slopes	230	*
LaB2	Laidig gravelly loam, 0 to 8 percent slopes, moderately eroded	190	*
LaC2	Laidig gravelly loam, 8 to 15 percent slopes, moderately eroded	550	
LaD2	Haidig gravelly loam, 15 to 25 percent slopes, moderately eroded	170	*
LbC	Laidig very stony loam, 3 to 15 percent slopes	2,170	
LbD	Laidig very stony loam, 15 to 25 percent slopes	1,610	0.6
LdA LdB2	Landisburg cherty silt loam, 0 to 3 percent slopes Landisburg cherty silt loam, 3 to 8 percent slopes, moderately eroded	180 550	1
LdC2	Landisburg cherty silt loam, 8 to 15 percent slopes, moderately eroded	760	
LdD2	Landisburg cherty silt loam, 15 to 25 percent slopes, moderately eroded-	140	*
LgD	Leetonia very stony sandy loam, 0 to 25 percent slopes	370	0.1
LĥB2	Lehew channery loam, 3 to 10 percent slopes, moderately eroded	150	
LhC2	Lehew channery loam, 10 to 20 percent slopes, moderately eroded	260	*
LhE	Lehew channery loam, 20 to 45 percent slopes	470	
LlB LlD	Lehew very stony loam, 0 to 10 percent slopes	710 4 , 570	0.3
LID	Lehew very stony loam, 10 to 30 percent slopes Lickdale silt loam	150	
Ln	Lindside silt loam	430	0.2
LsB2	Litz shalv silt loam, 3 to 10 percent slopes, moderately eroded	190	*
LsC2	Litz shalv silt loam, 10 to 20 percent slopes, moderately eroded	570	0.2
LsD2	Litz shalv silt loam, 20 to 30 percent slopes, moderately eroded	750	0.3
LsE	Litz shaly silt loam, 30 to 45 percent slopes	630	0.2
LyB	Loysville cherty silt loam, 0 to 8 percent slopes	300	0.1
McB2 McC2	Meckesville silt loam 0 to 8 percent slopes, moderately eroded Meckesville silt loam, 8 to 15 percent slopes, moderately eroded	210 250	1
McD2	Meckesville silt loam, 15 to 25 percent slopes, moderately erode	180	*
MdC	Meckesville very stony silt loam, 0 to 15 percent slopes	630	0.2
MdD	Meckesville very stony silt loam, 15 to 25 percent slopes	500	0.2
Me	Melvin silt loam	150	į *
MhA	Monongahela silt loam, 0 to 3 percent slopes	370	0.1
MhB2	Monongahela silt loam, 3 to 8 percent slopes, moderately eroded	1,060	0.4
MhC2	Monongahela silt loam, 8 to 15 percent slopes, moderately eroded Nolo silt loam, 0 to 3 percent slopes	260	* *
NoA NoB	Noio silt loam, 0 to 3 percent slopes Noio silt loam, 3 to 10 percent slopes	200 330	1
NoC2	Nolo silt loam, 10 to 20 percent slopes, moderately eroded	210	*
NsC	Nolo very stony silt loam, 0 to 20 percent slopes	330	0.1
OpB2	Opeguon flaggy clay loam, 3 to 8 percent slopes, moderately eroded	220	*
OpC2	Opequon flaggy clay loam, 8 to 15 percent slopes, moderately eroded	900	0.3

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol		Acres	 Percent
OpD2 OpE2 OuD OuE Ph Pn Ps RbB Rc ShB2 ShC2 ShC2 ShD2 SrC SrF St TyA TyB W WeB2 WeC2 WeE WkD WlB WlC WlE WnF WsB2 WsC2	Opequon flaggy clay loam, 15 to 25 percent slopes, moderately eroded Opequon flaggy clay loam, 25 to 50 percent slopes, moderately eroded Opequon very stony clay loam, 3 to 25 percent slopes Opequon very stony clay loam, 25 to 50 percent slopes	1,750 530 1,190 2,400 2,320 920 240 3,710 460 600 2110 6,360 2,140 2,600 130 170 128 5,640 19,040 46,280 4,560 170 460 300 4,670 180	0.6 0.2 0.4 0.9 0.9 0.3 * 1.4 0.2 0.2
WsD2 WsE	Westmoreland silt loam, 20 to 30 percent slopes, moderately eroded Westmoreland silt loam, 30 to 45 percent slopes	250 210	* *
	Total	272,468	101.1

^{*} Less than 0.1 percent.